



Mini High-Speed CAN System Basis Chip with Standby/Sleep Mode and Watchdog

UJA1167ATK


Last Updated: Mar 7, 2024

The UJA1167ATK is a mini high-speed CAN system basis chip (SBC) containing an ISO 11898-2:2016 and SAE J2284-1 to SAE J2284-5 compliant HS-CAN transceiver supporting CAN FD up to 5 Mbit/s and an integrated 5 V/100 mA supply for a microcontroller.

It features a watchdog and a serial peripheral interface (SPI). The UJA1167ATK can be operated in very-low-current standby and sleep modes with bus and local wake-up capability and supports ISO 11898-2:2016 compliant autonomous CAN biasing. The microcontroller supply is switched off in sleep mode.

A number of configuration settings are stored in non-volatile memory, allowing the SBC to be adapted for use in a specific application.

UJA1167ATK Mini SBC Block Diagram Block Diagram



View additional information for [Mini High-Speed CAN System Basis Chip with Standby/Sleep Mode and Watchdog](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2024 NXP B.V.