

Test Report Page: 1 of 20 No.: CE/2018/C2926 Date: 2018/12/21

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN



The following samples was/were submitted and identified by/on behalf of the applicant as:

: SHINKO ELECTRIC INDUSTRIES CO., LTD. Sample Submitted By

Sample Description : Au PLATING Sample Receiving Date: 2018/12/17

Testing Period : 2018/12/17 to 2018/12/21

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

: Please refer to following pages. Test Result(s)

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Conclusion Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document are the company at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document are the company at the co



No.: CE/2018/C2926

Date: 2018/12/21

Page: 2 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Result(s)

PART NAME No.1 : GOLDEN COLORED METAL

Toot Home(a)	11:4	Mathad	MDI	Result	l imais
l est item(s)	Test Item(s) Unit Method	MDL	No.1	Limit	
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 (2013) and	2	n.d.	100
Lead (Pb)	mg/kg	performed by ICP-AES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)(#2)	μg/cm²	With reference to IEC 62321-7-1 (2015) and performed by UV-VIS.	0.10	n.d.	-
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg]	5	n.d.	-
Dibromobiphenyl	mg/kg]	5	n.d.	-
Tribromobiphenyl	mg/kg]	5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg		5	n.d.	-
Heptabromobiphenyl	mg/kg	With reference to IEC 62321-6 (2015) and performed by GC/MS.	5	n.d.	-
Octabromobiphenyl	mg/kg		5	n.d.	-
Nonabromobiphenyl	mg/kg		5	n.d.	-
Decabromobiphenyl	mg/kg		5	n.d.	-
Sum of PBDEs	mg/kg		-	n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	-
Dibromodiphenyl ether	mg/kg]	5	n.d.	-
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg]	5	n.d.	-
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	-
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg		5	n.d.	-



No.: CE/2018/C2926

Date: 2018/12/21

Page: 3 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
Halogen-lodine (I) (CAS No.: 14362-44-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.	-
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	-
Antimony (Sb)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Arsenic (As)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Beryllium (Be)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.	-
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-



No.: CE/2018/C2926

Date: 2018/12/21

Page: 4 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1000
DNPP (Di-n-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DIPP (Di-iso-pentyl phthalate) (CAS No.: 605-50-5)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DHNUP (1,2- Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	1
DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888-89-6)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n.d.	-
Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Polychlorinated Naphthalene (PCNs)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-
Polychlorinated Terphenyls (PCTs)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-



No.: CE/2018/C2926

Date: 2018/12/21

Page: 5 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Item(s)	Unit	Method	MDL	Result	Limit
rest item(s)	Offic	Metriod	IVIDE	No.1	
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	100	n.d.	-
Dibutyl Tin (DBT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Tributyl Tin (TBT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Dioctyl Tin (DOT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Triphenyl Tin (TphT)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	0.03	n.d.	-
Bis(tributyltin)oxide (TBTO) (CAS No.: 56-35-9)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD. Calculated from the result of Tributyl Tin (TBT).	0.03 (▲)	n.d.	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. (A): The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	A	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.024



No.: CE/2018/C2926

Date: 2018/12/21

Page: 6 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².



Test Report No.: CE/2018/C2926

Date: 2018/12/21


Page: 7 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart of Heavy Metal

 $These \ samples \ were \ dissolved \ totally \ by \ pre-conditioning \ method \ according \ to \ below \ flow \ chart. \ (\ Cr^{6+} \ test \ method \ excluded)$

Technician: Rita Chen Supervisor: Troy Chang





No.: CE/2018/C2926

Date: 2018/12/21

Page: 8 of 20



SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN


Analytical flow chart - PBB / PBDE

Technician: Yaling Tu

Supervisor: Troy Chang

First testing process -Optional screen process ••••

Confirmation process






No.: CE/2018/C2926

Date: 2018/12/21

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN Page: 9 of 20

Analytical flow chart - PFOA/PFOS

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 10 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Halogen

Technician: Rita Chen Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 11 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analysis flow chart - PVC

Technician: Yaling Tu Supervisor: Troy Chang





Test Report No.: CE/2018/C2926

Date: 2018/12/21


Page: 12 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

> These samples were dissolved totally by pre-conditioning method according to below flow chart.

Technician: Rita Chen Supervisor: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion



No.: CE/2018/C2926

Date: 2018/12/21


Page: 13 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Phthalate

Technician: Yaling Tu Supervisor: Troy Chang

[Test method: IEC 62321-8]





No.: CE/2018/C2926


Date: 2018/12/21

Page: 14 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - HBCDD

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 15 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PCBs

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 16 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PCNs

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 17 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PCTs

Technician: Barry Tseng Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 18 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Chlorinated Paraffins

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/C2926


Date: 2018/12/21

Page: 19 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Organic-Tin

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/C2926

Date: 2018/12/21

Page: 20 of 20

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2018/C2926



CE/2018/C2926



End of Report **