

APPLICANT : Young Yiel Precision

ADDRESS : 1001-10, Doksan-dong, Geumcheon-gu,

Seoul, Korea

PAGE: 1 of 13

REPORT NO. RT17R-S5765-001-E DATE: Jan. 03, 2018

SAMPLE DESCRIPTION : The following submitted sample(s) said to be:-

NAME/TYPE OF PRODUCT : BARE HEAT STIFFENER

NAME OF MATERIAL : Stainless Steel SAMPLE ID NO. : RT17R-S5765-001

ITEM NO. : HEAT SPREADER, SLUG, SINGLE WINDOW

MANUFACTURER/VENDOR : Young Yiel Precision

SAMPLE RECEIVED : Dec. 27, 2017

TESTING DATE : Dec. 27, 2017 ~ Jan. 03, 2018

: Please see the following page(s). TEST METHOD(S) TEST RESULT(S) : Please see the following page(s).

Approved by, Authorized by,

Bo Park / Lab. General Manager

Intertek Testing Services Korea Ltd.

Jade Jang / Lab. Technical Manager







^{*} Note 1 : The test results presented in this report relate only to the object tested.

^{*} Note 2: This report shall not be reproduced except in full without the written approval of the testing laboratory.

^{*} Note 3: The item no. is assigned by client and indicated according to their requirement and guarantee letter.



PAGE: 2 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E

: RT17R-S5765-001

SAMPLE ID NO. SAMPLE DESCRIPTION: BARE HEAT STIFFENER

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 Edition 1.0 :	0.5	N.D.
Lead (Pb)	mg/kg	2013, by acid digestion and determined by ICP-OES	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4 Edition 1.0: 2013, by acid digestion and determined by ICP-OES	2	N.D.
Hexavalent Chromium (Cr ⁶⁺) (For metal)	μg/cm²	With reference to IEC 62321-7-1 Edition 1.0 : 2015, by boiling water extraction and determined by UV-VIS Spectrophotometer	0.10	Negative

Tested by : Jean Kim, Seulgi Park

Notes: mg/kg = ppm = parts per million

 μ g/cm² = microgram per square centimeter

< = Less than

N.D. = Not detected (<MDL) MDL = Method detection limit

Remarks: Interpretation of Cr⁶⁺ results

Qualitative result	Concentration of Cr ⁶⁺ (µg/cm²)	Meaning
Negative	< 0.10	The sample coating is considered a non-Cr ⁶⁺ based coating.
Inconclusive	0.10 ≤ and ≤ 0.13	Unavoidable coating variation may influence the determination.
Positive	> 0.13	The sample coating is considered to contain Cr ⁶⁺ .

- 1. The qualitative results should be determination by the average result of three test results. (If concentration of Cr^{6+} is over $0.10\mu g/cm^2$)
- 2. The above results will be carried out by visual comparison only with the standard.

Intertek Testing Services Korea Ltd.









PAGE: 3 of 13

REPORT NO. RT17R-S5765-001-E DATE: Jan. 03, 2018

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Polybrominated Biphenyl (PBBs)				
Monobromobiphenyl	mg/kg		5	N.D.
Dibromobiphenyl	mg/kg		5	N.D.
Tribromobiphenyl	mg/kg		5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to	5	N.D.
Pentabromobiphenyl	mg/kg	IEC 62321-6 Edition 1.0 : 2015,	5	N.D.
Hexabromobiphenyl	mg/kg	by solvent extraction and	5	N.D.
Heptabromobiphenyl	mg/kg	determined by GC/MS	5	N.D.
Octabromobiphenyl	mg/kg		5	N.D.
Nonabromobiphenyl	mg/kg		5	N.D.
Decabromobiphenyl	mg/kg		5	N.D.
Polybrominated Diphenyl Ether (PBDEs)				
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321-6 Edition 1.0 : 2015, by solvent extraction and determined by GC/MS	5	N.D.
Dibromodiphenyl ether	mg/kg		5	N.D.
Tribromodiphenyl ether	mg/kg		5	N.D.
Tetrabromodiphenyl ether	mg/kg		5	N.D.
Pentabromodiphenyl ether	mg/kg		5	N.D.
Hexabromodiphenyl ether	mg/kg		5	N.D.
Heptabromodiphenyl ether	mg/kg		5	N.D.
Octabromodiphenyl ether	mg/kg		5	N.D.
Nonabromodiphenyl ether	mg/kg		5	N.D.
Decabromodiphenyl ether	mg/kg		5	N.D.

Tested by : Sujung Lee

Notes: mg/kg = ppm = parts per million

< = Less than

N.D. = Not detected (<MDL)
MDL = Method detection limit

Intertek Testing Services Korea Ltd.









PAGE: 4 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E DATE

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Bromine (Br)	mg/kg	With reference to EN 14582, by oxygen combustion with bomb and determined by IC	30	N.D.
Chlorine (Cl)	mg/kg	With reference to EN 14582,		N.D.
Fluorine (F)	mg/kg	With reference to EN 14582, by oxygen combustion with bomb and determined by IC	30	N.D.
lodine (I)	mg/kg	With reference to EN 14582,		N.D.
Arsenic (As)	mg/kg	With reference to US EPA 3052, by acid digestion and determined by ICP-OES	2	N.D.
Beryllium (Be)	mg/kg	With reference to US EPA 3052, by acid digestion and determined by ICP-OES		N.D.
Antimony (Sb)	mg/kg	With reference to US EPA kg 3052, by acid digestion and determined by ICP-OES		N.D.
Hexabromocyclododecane (HBCDD)	mg/kg	With reference to IEC 62321-9(111/409/CD), by solvent extraction and determined by LC/MS and GC/MS	10	N.D.
Tetrabromobisphenol-A (TBBP-A)	mg/kg	With reference to US EPA 3540C, by solvent extraction and determined by LC/MS/MS	5	N.D.
Perfluorooctanoic acid (PFOA)	mg/kg	With reference to US EPA 3550C/8321B, by ultrasonic extraction and determined by LC/MS or LC/MS/MS	0.1	N.D.
Perfluorooctane sulfonate (PFOS)	mg/kg	With reference to US EPA 3550C/8321B, by ultrasonic extraction and determined by LC/MS or LC/MS/MS	0.1	N.D.

Tested by: Hyojoo kim, Jean Kim, Sujung Lee, Yongsung Kim

Notes: mg/kg = ppm = parts per million

< = Less than

N.D. = Not detected (<MDL)
MDL = Method detection limit

Intertek Testing Services Korea Ltd.









PAGE: 5 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E

: RT17R-S5765-001

SAMPLE ID NO. SAMPLE DESCRIPTION: BARE HEAT STIFFENER

TEST ITEM	CAS NO.	UNIT	TEST METHOD	MDL	RESULT
Phthalates					
Dibutyl phthalate (DBP)	84-74-2	mg/kg	With reference to IEC 62321-8 Edition 1.0: 2017, by solvent extraction and determined by GC/MS	50	N.D.
Di(2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg		50	N.D.
Di-n-octyl phthalate (DNOP)	117-84-0	mg/kg		50	N.D.
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg		100	N.D.
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg		100	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg		50	N.D.
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg		50	N.D.

Tested by: Sujung Lee

Notes: mg/kg = ppm = parts per million

< = Less than

N.D. = Not detected (< MDL) MDL = Method detection limit

Intertek Testing Services Korea Ltd.










PAGE: 6 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

* View of sample as received;-



Intertek Testing Services Korea Ltd.










PAGE: 7 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION: BARE HEAT STIFFENER



Remarks:
*1 · List of appropriate acid ·

т.	1 . List of appropriate acid .						
	Material	Acid added for digestion					
	Polymers	HNO₃, HCl, HF, H₂O₂, H3BO₃					
	Metals	HNO₃, HCl, HF					
	Electronics	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄					

^{*2 :} The samples were dissolved totally by pre-conditioning method according to above flow chart.

Intertek Testing Services Korea Ltd.










PAGE: 8 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION: BARE HEAT STIFFENER



Intertek Testing Services Korea Ltd.










PAGE: 9 of 13 DATE: Jan. 03, 2018

REPORT NO. RT17R-S5765-001-E

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER



** Remarks : The samples were dissolved totally by pre-conditioning method according to above flow chart.

Intertek Testing Services Korea Ltd.









PAGE: 10 of 13
REPORT NO. RT17R-S5765-001-E
DATE: Jan. 03, 2018

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

Receipt Sample preparation Extraction Concentration Concentration Analyzed by LC/MS and/or GC-MS Data Report

Intertek Testing Services Korea Ltd.










PAGE: 11 of 13
REPORT NO. RT17R-S5765-001-E DATE: Jan. 03, 2018

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

Flow Chart (EPA 3540C)



Intertek Testing Services Korea Ltd.










REPORT NO. RT17R-S5765-001-E

PAGE: 12 of 13 DATE: Jan. 03, 2018

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

Flow Chart (PFOS, PFOA)



Intertek Testing Services Korea Ltd.










PAGE: 13 of 13
REPORT NO. RT17R-S5765-001-E DATE: Jan. 03, 2018

SAMPLE ID NO. : RT17R-S5765-001 SAMPLE DESCRIPTION : BARE HEAT STIFFENER

Flow Chart (Phthalates)



***** End of Report *****

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

Intertek Testing Services Korea Ltd.





