

Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

TAMURA CORPORATION

16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : TAMURA CORPORATION

樣品名稱(Sample Name) : SOLDER PASTE 樣品型號(Style/Item No.) : LF-204-617S

收件日(Sample Receiving Date)

: 13-Dec-2021

測試期間(Testing Period)

: 13-Dec-2021 to 21-Dec-2021

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).) 請參閱下一頁 (Please refer to following pages.)

測試結果(Test Results)

結 論(Conclusion) :

(1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU)

2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)





頁數(Page): 1 of 19

PIN CODE: 444FDA85



Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021 頁數(Page): 2 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

測試部位敘述 (Test Part Description)

No.1 : 灰色膏狀 (GRAY PASTE)

測試結果 (Test Results)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---|---|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440- | 參考IEC 62321-5: 2013,以感應耦合電漿 | mg/kg | 2 | n.d. | 100 |
| 43-9) | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1) | 參考IEC 62321-5: 2013,以感應耦合電漿 | mg/kg | 2 | n.d. | 1000 |
| | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 汞 (Hg) (Mercury (Hg)) (CAS No.: 7439- | 參考IEC 62321-4: 2013+ AMD1: 2017·以 | mg/kg | 2 | n.d. | 1000 |
| 97-6) | 感應耦合電漿發射光譜儀分析。(With | | | | |
| | reference to IEC 62321-4: 2013+ AMD1: | | | | |
| | 2017, analysis was performed by ICP-OES.) | | | | |
| 六價鉻 Cr(VI) (Hexavalent Chromium | 參考IEC 62321-7-2: 2017,以紫外光-可見 | mg/kg | 8 | n.d. | 1000 |
| Cr(VI)) (CAS No.: 18540-29-9) | 光分光光度計分析。(With reference to | | | | |
| | IEC 62321-7-2: 2017, analysis was | | | | |
| | performed by UV-VIS.) | | | | |
| 一溴聯苯 (Monobromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯 (Tetrabromobiphenyl) | 參考IEC 62321-6: 2015,以氣相層析儀/質 | mg/kg | 5 | n.d. | - |
| 五溴聯苯 (Pentabromobiphenyl) | iii 儀分析。(With reference to IEC 62321- | mg/kg | 5 | n.d. | - |
| 六溴聯苯 (Hexabromobiphenyl) | 6: 2015, analysis was performed by | mg/kg | 5 | n.d. | - |
| 七溴聯苯 (Heptabromobiphenyl) | GC/MS.) | mg/kg | 5 | n.d. | - |
| 八溴聯苯 (Octabromobiphenyl) | () () () () () () () () () () | mg/kg | 5 | n.d. | - |
| 九溴聯苯 (Nonabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | ı | n.d. | 1000 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021 頁數(Page): 3 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---------------------------------------|---------------------------------------|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) |] 参考IEC 62321-6: 2015·以氣相層析儀/質 | mg/kg | 5 | n.d. | - |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | iii 儀分析。(With reference to IEC 62321- | mg/kg | 5 | n.d. | - |
| 六溴聯苯醚 (Hexabromodiphenyl ether) | 6: 2015, analysis was performed by | mg/kg | 5 | n.d. | - |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | GC/MS.) | mg/kg | 5 | n.d. | - |
| 八溴聯苯醚 (Octabromodiphenyl ether) | GC/1413.) | mg/kg | 5 | n.d. | - |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | 1 | n.d. | 1000 |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (BBP)) (CAS No.: 85-68-7) | | | | | |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (DBP)) (CAS No.: 84-74-2) | | | | | |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- | | mg/kg | 50 | n.d. | 1000 |
| (2-ethylhexyl) phthalate (DEHP)) (CAS | | | | | |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl | | mg/kg | 50 | n.d. | 1000 |
| phthalate (DIBP)) (CAS No.: 84-69-5) | 參考IEC 62321-8: 2017,以氣相層析儀/質 | | | | |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl | 譜儀分析。(With reference to IEC 62321- | mg/kg | 50 | n.d. | - |
| phthalate (DIDP)) (CAS No.: 26761-40- | 8: 2017, analysis was performed by | 3 3 | | | |
| 0, 68515-49-1) | GC/MS.) | | | | |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl | | mg/kg | 50 | n.d. | - |
| phthalate (DINP)) (CAS No.: 28553-12- | | | | | |
| 0, 68515-48-0) | | | | | |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl | | mg/kg | 50 | n.d. | - |
| phthalate (DNOP)) (CAS No.: 117-84-0) | | | | | |
| 鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl | | mg/kg | 50 | n.d. | - |
| phthalate (DNHP)) (CAS No.: 84-75-3) | | | | | |
| <u></u> | | | | | |



Test Report

號碼(No.): ETR21C02255

日期(Date): 21-Dec-2021

頁數(Page): 4 of 19

TAMURA CORPORATION

16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|---|--------------|------|------------------------|---------------|
| 鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) | 參考IEC 62321-8: 2017‧以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二 (C6-8支鏈)烷基酯·富C7 (DIHP) (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)) (CAS No.: 71888-89-6) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 (DHNUP) (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)) (CAS No.: 68515-42-4) | | mg/kg | 50 | n.d. | - |
| 六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 參考IEC 62321: 2008·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8) | | mg/kg | 50 | n.d. | - |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1) | 參考BS EN 14582: 2016‧以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | mg/kg | 50 | n.d. | - |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) | | mg/kg | 50 | 3450 | - |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. | - |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to | mg/kg | 0.01 | n.d. | - |
| 全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |



Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021 頁數(Page): 5 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|---|---|--------|--------|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 全氟辛烷磺酸及其鹽類 (PFOS and its | 參考US EPA 3550C: 2007,以液相層析串 | mg/kg | 10 | n.d. | - |
| salts) (CAS No.: 1763-23-1 and its salts) | 聯質譜儀分析。(With reference to US | | | | |
| 全氟辛酸及其鹽類 (PFOA and its salts) | EPA 3550C: 2007, analysis was | mg/kg | 10 | n.d. | - |
| (CAS No.: 335-67-1 and its salts) | performed by LC/MS/MS.) | | | | |
| 多氯聯苯 (PCBs) (Polychlorinated | | mg/kg | 0.5 | n.d. | = |
| biphenyls (PCBs)) | 参考US EPA 3550C: 2007,以氣相層析儀/ | | | | |
| 多氯奈 (PCNs) (Polychlorinated | 質譜儀分析。(With reference to US EPA | mg/kg | 5 | n.d. | - |
| naphthalene (PCNs)) | 3550C: 2007, analysis was performed by | | | | |
| 多氯三聯苯 (PCTs) (Polychlorinated | GC/MS.) | mg/kg | 0.5 | n.d. | - |
| terphenyls (PCTs)) | | | | | |
| 短鏈氯化石蠟(C10-C13) (SCCP) (Short | 參考ISO 18219: 2015,以氣相層析儀/質 | mg/kg | 50 | n.d. | - |
| Chain Chlorinated Paraffins(C10-C13) | 譜儀分析。(With reference to ISO 18219: | | | | |
| (SCCP)) (CAS No.: 85535-84-8) | 2015, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| 四溴雙酚-A (TBBP-A) | 參考RSTS-E&E-121·以液相層析儀/質譜 | mg/kg | 10 | n.d. | - |
| (Tetrabromobisphenol A (TBBP-A)) | 儀分析。(With reference to RSTS-E&E- | | | | |
| (CAS No.: 79-94-7) | 121, analysis was performed by LC/MS.) | | | | |
| 三丁基錫 (TBT) (Tributyl tin (TBT)) | 參考ISO 17353: 2004·以氣相層析儀/火 | mg/kg | 0.03 | n.d. | - |
| 三苯基錫 (TPT) (Triphenyl tin (TPT)) | 焰光度偵測器分析。(With reference to | mg/kg | 0.03 | n.d. | - |
| 二丁基錫 (DBT) (Dibutyl tin (DBT)) | ISO 17353: 2004, analysis was | mg/kg | 0.03 | n.d. | - |
| 二辛基錫 (DOT) (Dioctyl tin (DOT)) | performed by GC/FPD.) | mg/kg | 0.03 | n.d. | - |
| 氧化雙三丁基錫 (TBTO) (Bis(tributyltin) | 由三丁基錫測試結果計算得之。 | mg/kg | 0.03 🛦 | n.d. | - |
| oxide (TBTO)) (CAS No.: 56-35-9) | (Calculated from the result of Tributyl | | | | |
| | Tin (TBT).) | | | | |
| 聚氯乙烯 (Polyvinyl chloride) (PVC) | 參考ASTM E1252: 2013·以傅立葉轉換紅 | ** | | Negative | - |
| | 外線光譜儀及焰色法分析。(With | | | | |
| | reference to ASTM E1252: 2013, analysis | | | | |
| | was performed by FT-IR and Flame Test.) | | | | |



Test Report

號碼(No.): ETR21C02255

日期(Date): 21-Dec-2021

頁數(Page): 6 of 19

TAMURA CORPORATION

16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|--|---|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 雙酚A (Bisphenol A) (CAS No.: 80-05-7) | 參考RSTS-CHEM-239-1 · 以液相層析串聯質譜儀分析。(With reference to RSTS-CHEM-239-1, analysis was performed by LC/MS/MS.) | mg/kg | 1 | n.d. | - |
| 銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0) | 參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US | mg/kg | 2 | n.d. | - |
| 鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7) | EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

8. 全氟辛酸及其鹽類包含 (PFOA and its salts including):

CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.

9. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

| A | F |
|---------------------------|---------------------------|
| 三丁基錫 (Tributyl Tin) (TBT) | 1.024 |
| | 三丁基錫 (Tributyl Tin) (TBT) |

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

10. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



Test Report

號碼(No.): ETR21C02255

日期(Date): 21-Dec-2021

頁數(Page): 7 of 19


TAMURA CORPORATION

16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

頁數(Page): 8 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report


號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

頁數(Page): 9 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

TAMURA CORPORATION

16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 10 of 19




Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 11 of 19




Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021 頁數(Page): 12 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report


號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021 頁數(Page): 13 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 14 of 19



測試報告 Test Report


號碼(No.): ETR21C02255

日期(Date): 21-Dec-2021

頁數(Page): 15 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

有機錫分析流程圖 / Analytical flow chart - Organic-Tin





Test Report


號碼(No.): ETR21C02255

日期(Date): 21-Dec-2021

頁數(Page): 16 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC






Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 17 of 19



Test Report

號碼(No.): ETR21C02255

日期(Date): 21-Dec-2021

頁數(Page): 18 of 19

TAMURA CORPORATION


16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



Test Report

號碼(No.): ETR21C02255 日期(Date): 21-Dec-2021

頁數(Page): 19 of 19

TAMURA CORPORATION 16-2, SAYAMAGAHARA, IRUMA-SHI, SAITAMA-KEN, 358-8501, JAPAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR21C02255



** 報告結尾 (End of Report) **